


PARTS ON

WHEELBASE = 2570

# Frame Length Measurements

Pt. 8 to Pt. 13 = 615  
 Pt. 6(R) to Pt. 13 = 1113  
 Pt. 13 to Pt. 22 = 1416  
 Pt. 22 to Pt. 26 = 685  
 Pt. 22 to Pt. 28 = 939  
 Pt. 22 to Pt. 30 = 1162



## Cross Hood Measurements

Pt. 1 to Pt. 5 = 1392

## Hood Length Measurements

Pt. 1 to Pt. 5 = 650  
 Pt. 1 to Pt. 4 = 584

## Ball Joint Measurements

Pt. 13 to BJ = 641  
 Pt. 22 to BJ = 1966

## Cross Frame Measurements

Pt. 8 to Pt. 13 = 1002  
 Pt. 13 to Pt. 22 = 1695  
 Pt. 22 to Pt. 30 = 1533

Datum Length Measurements

R  
L

PARTS REMOVED

WHEELBASE = 2570

## Frame Length Measurements


Pt. 6(R) to Pt. 13 = 1100

Pt. 13 to Pt. 22 = 1416

Pt. 22 to Pt. 26 = 685

Pt. 22 to Pt. 28 = 947

Pt. 22 to Pt. 30 = 1162




## Cross Hood Measurements

Pt. 1 to Pt. 5 = 1393

## Hood Length Measurements

Pt. 1 to Pt. 5 = 650

Pt. 1 to Pt. 4 = 585



## Datum Length Measurements

## Cross Frame Measurements

Pt. 13 to Pt. 22 = 1695

Pt. 22 to Pt. 30 = 1533



R

L


1	⊕	6
2	⊕	6
3	⊕	7
4	⊕	7
5	⊕	7
6	⊕	10
7	⊕	14
9	⊕	10
11	⊕	11
12	⊕	25
13	⊕	25
14	⊕	14
15	⊕	20
16	⊕	14
17	⊕	16
18	⊕	14
19	⊕	14x20
20	⊕	11
21	⊕	25
22	⊕	20
23	⊕	10
24	⊕	10
25	⊕	11
26	⊕	14
27	⊕	25
28	⊕	11
29	⊕	8
30	⊕	17
31	⊕	

# 2017 JEEP RENEGADE, 5DR 4WD


## WINDSHIELD




INNER CORNER OF ROOF



INNER CORNER OF ROOF





CORNER OF PILLAR




CORNER OF PILLAR


## FRONT DOOR




RADIUS OF OPENING AT EDGE




RADIUS OF OPENING AT EDGE




DOOR STAY BOLT



TOP STRIKER BOLT





RADIUS OF OPENING AT EDGE




RADIUS OF OPENING AT EDGE


## REAR DOOR




RADIUS OF OPENING AT EDGE




RADIUS OF OPENING AT EDGE




DOOR STAY BOLT



BOTTOM STRIKER BOLT





CORNER OF OPENING AT ROCKER PANEL




RADIUS OF OPENING AT EDGE


## REAR LIFT GATE




LAP SEAM IN PINCHWELD




CENTER OF PINCHWELD




LAP SEAM IN PINCHWELD




LAP SEAM IN PINCHWELD




LAP SEAM IN PINCHWELD



LAP SEAM IN PINCHWELD





CENTER OF PINCHWELD





LAP SEAM IN PINCHWELD

## "A" PILLAR





DOOR STAY BOLT

## "B" PILLAR



TOP STRIKER BOLT

## "C" PILLAR



BOTTOM STRIKER BOLT